

Express Availability - Geared motors

Geared motors IMfinity®
Helical gears COMPABLOC, MANUBLOC, ORTHOBLOC
Standard environment

Integral mounting	MI
Universal mounting	MU
Input shaft mounting	AP

AVAILABILITY TIMES EX WORKS (FRANCE), IN WORKING DAYS

Orders received, within the maximum quantity limit, by the factory on day D before 12:00 pm Central European Time, will have the following Availability.
 For products with options, availability will be that of the longest lead-time item, i.e: the product or its options.
 If the order is received after 12:00 pm, 1 working day will be added to the stated lead time.
 The maximum quantity is per line of order. Above this maximum quantity, please consult your Sales Office.

D	D + 1	D + 2	D + 5	D + 10	D + 15	Please consult
---	-------	-------	-------	--------	--------	----------------

230 V Δ / 380 V Y / 400 V Y / 415 V Y 50 Hz - 460 V Y 60 Hz
380 V Δ / 400 V Δ / 415 V Δ / 690 V Y 50 Hz - 460 V Δ 60 Hz

4 poles 1500 min ⁻¹	IE	Mounting	Rated power 400 V	Cb 30-	Cb 31- Ot 31- Mub 31-	Cb 32- Ot 32-, 33- Mub 32-	Cb 33- Ot 34- Mub 33-	Cb 34- Ot 35- Mub 34-	Cb 35- - Mub 35-	Cb36*- Cb37*- Cb38*-	Mub36*- Mub37*- Mub38*-	Ot36*- Ot37*- Ot38*-	Ot 39-
				P_n kW									

Type													
------	--	--	--	--	--	--	--	--	--	--	--	--	--

LSES 280 ²				Std				Std	Std				
LSES 315 ²				Std				Std	Std				

1. except Cb30: polyamide terminal box 2. 55 to 110 kW: motor B35 obligatory NC: not concerned by IE Standards

Your sales office will offer every assistance and consider any enquiry concerning delivery of larger quantities and different delivery dates

Geared motors IMfinity®

Helical gears COMPABLOC, MANUBLOC, ORTHOBLOC

Standard environment

Integral mounting	MI
Universal mounting	MU
Input shaft mounting	AP

AVAILABILITY TIMES EX WORKS (FRANCE), IN WORKING DAYS

Orders received, within the maximum quantity limit, by the factory on day D before 12:00 pm Central European Time, will have the following Availability. For products with options, availability will be that of the longest lead-time item, i.e: the product or its options. If the order is received after 12:00 pm, 1 working day will be added to the stated lead time. The maximum quantity is per line of order. Above this maximum quantity, please consult your Sales Office.

D	D + 1	D + 2	D + 5	D + 10	D + 15	Please consult
---	-------	-------	-------	--------	--------	----------------

Cb, Mub, Ot gearboxes options

COMPABLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM

Type	Cb 1-stage MI forms						Mounting Cb 1-stage		Equipment	
	Feet		Flange mounted			Tapped holes	Universal	Input shaft	Lubrication	PAO ISO VG150
	S	BS	BD1	BD2	BD3	BT	MU	AP		
Cb 3031										
Cb 3131										
Cb 3231										
Cb 3331										
Cb 3431										
Cb 3531										

Type	Cb multistage MI forms						Mounting Cb multistage		Equipment		
	Feet		Flange mounted			Tapped holes	Backstop ¹	Universal	Input shaft	Lubrication	Heat exchanger
	S	BS	BD1	BD2	BD3	BR	BT	AD/AP-MI-MU	MU	AP	PAO ISO VG150
Cb 3032-3033											
Cb 3133											
Cb 3233											
Cb 3333											
Cb 3433											
Cb 3533											
Cb 3633								1			
Cb 3733								1			
Cb 3833								1			

1. Cb 30 to 35: AD/MI-MU with LSES IFT/IE3 motor; AD/AP: not concerned.

MANUBLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND H HOLLOW SHAFT, S SOLID SHAFT

Type	Mub MI forms						Mub mounting			Equipment		
	Shaft	Tapped holes		Flange mounted		Shrink disc	Joint	Backstop ¹	Universal	Input shaft	Lubrication	Heat exchanger
	R	NUL/R/LR	BT	BS	BD	SDB	FM	AD/AP-MI-MU	MU	AP	PAO ISO VG150	
Mub 3132 H shaft												
Mub 32-- H shaft												
Mub 33-- H shaft												
Mub 34-- H shaft												
Mub 35-- H shaft												
Mub 36-- H shaft								1				
Mub 37-- H shaft								1				
Mub 38-- H shaft								1				
Mub 36-- S shaft												
Mub 37-- S shaft												
Mub 38-- S shaft												

1. Mub 31 to 35: AD/MI-MU with LSES IFT/IE3 motor; AD/AP: not concerned.

ORTHOLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND L (left) R (right) SOLID SHAFT

Type	Ot MI forms						Ot mounting			Equipment		
	Feet		Flange mounted			Shrink disc	Torque arm	Backstop ¹	Universal	Input shaft	Lubrication	Heat exchanger
	S L, SR	S LR	SBTLR L, R	SBTLR LR	NS	BSL/BSR	BDL/BDR	BRR	AD/AP-MI-MU	MU	AP	PAO ISO VG150
Ot 3132												
Ot 3232-3233												
Ot 3333												
Ot 3433												
Ot 3533												
Ot 3633								1				
Ot 3733								1				
Ot 3833								1				
Ot 3933												

1. Ot 31 to 35: AD/MI-MU with LSES IFT/IE3 motor; AD/AP: not concerned.

ORTHOLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND H HOLLOW SHAFT

Type	Ot MI forms						Ot mounting			Equipment	
	Feet	Flange mounted		Shrink disc	Torque arm	Backstop ¹	Universal	Input shaft	Lubrication	Heat exchanger	
	S	SBT	BSL/BSR	BDL/BDR	SDR/SDL	RK	AD/AP-MI-MU	MU	AP	PAO ISO VG150	
Ot 3132											
Ot 3232-3233											
Ot 3333											
Ot 3433											
Ot 3533											
Ot 3633								1			
Ot 3733								1			
Ot 3833								1			
Ot 3933											

1. Ot 31 to 35: AD/MI-MU with LSES IFT/IE3 motor; AD/AP: not concerned.

Your sales office will offer every assistance and consider any enquiry concerning delivery of larger quantities and different delivery dates

Geared motors IMfinity® Worm and wheel MULTIBLOC Standard environment

Universal mounting	MUT
Universal mounting	MUF
Input shaft mounting	AP

AVAILABILITY TIMES EX WORKS (FRANCE), IN WORKING DAYS

Orders received, within the maximum quantity limit, by the factory on day D before 12:00 pm Central European Time, will have the following Availability.
For products with options, availability will be that of the longest lead-time item, i.e: the product or its options.
If the order is received after 12:00 pm, 1 working day will be added to the stated lead time.
The maximum quantity is per line of order. Above this maximum quantity, please consult your Sales Office.

D	D + 1	D + 2	D + 5	D + 10	D + 15	Please consult
----------	--------------	--------------	--------------	---------------	---------------	-----------------------

230 V Δ / 380 V Y / 400 V Y / 415 V Y 50 Hz - 460 V Y 60 Hz
380 V Δ / 400 V Δ / 415 V Δ / 690 V Y 50 Hz - 460 V Δ 60 Hz

Type	IE	Mounting	Rated power P_n kW	$\frac{i}{400 V}$ min ⁻¹	Mb 4301												
					14.3	17.8	23.8	28.5	35.6	47.5	57.0	71.3	95.0	143	187	286	
LS 56 M	NC	MUT	0.06	Y													

4 poles
1500 min⁻¹



Your sales office will offer every assistance and consider any enquiry concerning delivery of larger quantities and different delivery dates

Geared motors IMfinity® Worm and wheel MULTIBLOC Standard environment

Universal mounting	MUT
Universal mounting	MUF
Input shaft mounting	AP

AVAILABILITY TIMES EX WORKS (FRANCE), IN WORKING DAYS

Orders received, within the maximum quantity limit, by the factory on day D before 12:00 pm Central European Time, will have the following Availability.
For products with options, availability will be that of the longest lead-time item, i.e: the product or its options.
If the order is received after 12:00 pm, 1 working day will be added to the stated lead time.
The maximum quantity is per line of order. Above this maximum quantity, please consult your Sales Office.

D	D + 1	D + 2	D + 5	D + 10	D + 15	Please consult
----------	--------------	--------------	--------------	---------------	---------------	----------------

230 V Δ / 380 V Y / 400 V Y / 415 V Y 50 Hz - 460 V Y 60 Hz
380 V Δ / 400 V Δ / 415 V Δ / 690 V Y 50 Hz - 460 V Δ 60 Hz

4 poles
1500 min⁻¹

Type	IE	Mounting	Rated power P_n kW	min ⁻¹ i	Mb 2401											
					14.4	17.9	23.8	28.6	36.0	47.9	56.3	73.6	99.1	139	198	
LSES 80 LG	IE2	MUT or MUF	0.55	Y	5	5	5	5	5	5	5					



Your sales office will offer every assistance and consider any enquiry concerning delivery of larger quantities and different delivery dates

Geared motors IMfinity® Worm and wheel MULTIBLOC Standard environment

Universal mounting	MUT
Universal mounting	MUF
Input shaft mounting	AP

AVAILABILITY TIMES EX WORKS (FRANCE), IN WORKING DAYS

Orders received, within the maximum quantity limit, by the factory on day D before 12:00 pm Central European Time, will have the following Availability. For products with options, availability will be that of the longest lead-time item, i.e: the product or its options. If the order is received after 12:00 pm, 1 working day will be added to the stated lead time. The maximum quantity is per line of order. Above this maximum quantity, please consult your Sales Office.

D	D + 1	D + 2	D + 5	D + 10	D + 15	Please consult
---	-------	-------	-------	--------	--------	----------------

MULTIBLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND H HOLLOW SHAFT

Type	Mb forms							
	Baseplate		Flange mounted			Tapped holes	Torque arm ¹	Input shaft
	NU our S	NS D/F/U	BSL / BSR	BDL / BDR	BNL / BNR	BTLR	RK	AP
Mb 4301								
Mb 3101								
Mb 2201								
Mb 2301								
Mb 2401								
Mb 2501								
Mb 2601								

1. Delivered separately

MULTIBLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND HL (left) HR (right) SOLID SHAFT

Type	Mb forms					
	Baseplate		Flange mounted			Input shaft
	NU our S	NS D/F/U	BSL / BSR	BDL / BDR	BNL / BNR	AP
Mb 4301						
Mb 3101						
Mb 2201						
Mb 2301						
Mb 2401						
Mb 2501						
Mb 2601						

MULTIBLOC - MECHANICAL OPTIONS CORRESPONDING TO THE MOUNTING FORM AND HLR (left and right) SOLID SHAFT

Type	Mb forms					
	Baseplate		Flange mounted			Input shaft
	NU our S	NS D/F/U	BSL / BSR	BDL / BDR	BNL / BNR	AP
Mb 4301	1		1	1		
Mb 3101						
Mb 2201						
Mb 2301						
Mb 2401						
Mb 2501						
Mb 2601						

OPTIONS motors

Type	Electrical options							Mechanical options					
	Cable gland		Thermal protection		Flying leads	SIR Reinforced insulation system	Forced ventilation	Metal terminal box	Steel cover	Drip cover	Drain holes		Stainless steel nameplate
	Std Polyamide	Std Brass	CTP	PTO							IMB5, IMB14	Other positions	
LS 56	Std							Std					
LSES 63	Std							Std					
LSES 71	Std							Std					
LSES 80													
LSES 90													
LSES 100													
LSES 112													
LSES 112 MG								Std	Std				
LSES 132 SM, SU													
LSES 132 M								Std	Std				

Your sales office will offer every assistance and consider any enquiry concerning delivery of larger quantities and different delivery dates